First Hit Fwd Refs

Previous Doc

Next Doc

Go to Doc#

End of Result Set

Generate Collection

Print

L1: Entry 7 of 7

File: USPT

US-PAT-NO: 6149919

DOCUMENT-IDENTIFIER: US 6149919 A

TITLE: Immunogenic detoxified mutants of cholera toxin and of the toxin LT,

preparation and their use for the preparation of vaccines

DATE-ISSUED: November 21, 2000

INVENTOR-INFORMATION:

NAME

CITY

STATE

ZIP CODE

COUNTRY

Domenighini; Mario

Rappuoli; Rino

Quercegrossa

Quercegrossa

Pizza; Mariagrazia

·Siena

Seattle

US-CL-CURRENT: 424/236.1; 424/184.1, 424/234.1, 424/240.1, 424/241.1, 424/261.1, 435/69.3

CLAIMS:

Hol; Wim

We claim:

- 1. An immunogenic detoxified protein comprising an amino acid sequence of subunit A of a cholera toxin or a fragment thereof or an amino acid sequence of subunit A of an Escherichia coli heat labile toxin or a fragment thereof comprising one or more of the following amino acid replacements at or in positions corresponding to amino acids in the sequence of subunit A of mature cholera toxin: Val-53-Asp, Val-53-Glu, Val-53-Tyr, Ser-63-Lys, Val-97-Lys, Val-97-Tyr, Tyr-104-Lys, Tyr-104-Asp, Tyr-104-Ser, and Pro-106-Ser, wherein said fragment comprises from 3 to about 5 amino acids of at least one of the regions containing one of the amino acids to be replaced.
- 2. An immunogenic composition comprising an immunogenic detoxified protein according to claim 1 and a pharmaceutically acceptable carrier.
- 3. A vaccine comprising an amino acid sequence of subunit A of a cholera toxin or an amino acid sequence of subunit A of an Escherichia coli heat labile toxin comprising one or more of the following amino acid replacements at or in positions corresponding to amino acids in the sequence of subunit A of mature cholera toxin: Val-53-Asp, Val-53-Glu, Val-53-Tyr, Ser-63-Lys, Val-97-Lys, Val-97-Tyr, Tyr-104-Lys, Tyr-104-Asp, Tyr-104-Ser, and Pro-106-Ser, wherein said fragment comprises from about 3 to about 5 amino acids of at least one of the regions containing one of the amino acids to be replaced.
- 4. A method of vaccinating a mammal against Vibrio cholerae or an enterotoxigenic strain of Escherichia coli comprising administering an

immunologically effective amount of an immunogenic detoxified protein according to claim 1.

- 5. A process for the formulation of a vaccine comprising bringing an immunogenic detoxified protein according to claim 1 into association with a pharmaceutically acceptable carrier.
- 6. A process for the formulation of a vaccine comprising bringing an immunogenic detoxified protein according to claim 1 into association with an adjuvant.
- 7. An immunogenic detoxified protein comprising an amino acid sequence of subunit A of a cholera toxin or a fragment thereof or an acid sequence of subunit A of an Escherichia coli heat labile toxin or a fragment thereof wherein the position corresponding to Ser-63 in the sequence of subunit A of mature cholera toxin is replaced with lysine, wherein said fragment comprises from about 3 to about 5 amino acids of at least one of the regions containing one of the amino acids to be replaced.
- 8. An immunogenic detoxified protein comprising an amino acid sequence of subunit A of a cholera toxin or a fragment thereof or an amino acid sequence of subunit A of an Escherichia coli heat labile toxin or a fragment thereof wherein the position corresponding to Pro-106 in the sequence of subunit A of mature cholera toxin is replaced with serine, wherein said fragment comprises from about 3 to about 5 amino acids of at least one of the regions containing one of the amino acids to be replaced.
- 9. A vaccine composition according to claim 3 further comprising an adjuvant.

Previous Doc Next Doc Go to Doc#

First Hit Fwd Refs

Previous Doc

Next Doc

Go to Doc#

End of Result Set

Generate Collection

Print

L1: Entry 7 of 7

File: USPT

Nov 21, 2000

US-PAT-NO: 6149919

DOCUMENT-IDENTIFIER: US 6149919 A

TITLE: Immunogenic detoxified mutants of cholera toxin and of the toxin LT, their

preparation and their use for the preparation of vaccines

DATE-ISSUED: November 21, 2000

INVENTOR-INFORMATION:

NAME CITY STATE ZIP CODE COUNTRY

Domenighini; Mario Quercegrossa IT
Rappuoli; Rino Quercegrossa IT
Pizza; Mariagrazia Siena IT

Hol; Wim Seattle WA

ASSIGNEE-INFORMATION:

NAME CITY STATE ZIP CODE COUNTRY TYPE CODE

Biocine S.p.A. Siena IT 03

APPL-NO: 08/823120 [PALM]
DATE FILED: March 25, 1997

PARENT-CASE:

This application is a continuation of application Ser. No. 08/256,003, filed Nov. 11, 1994, which is a filing under 35 U.S.C. 371 of PCT/EP92/03016, filed Dec. 30, 1992 abandoned; and which is a filing from parent Italian patent application M191 A 003513, filed Dec. 31, 1991.

FOREIGN-APPL-PRIORITY-DATA:

COUNTRY APPL-NO APPL-DATE

IT M191A03513 December 31, 1991

INT-CL-ISSUED: [07] A61K 39/02, A61K 39/108, A61K 39/106, C12P 21/06

INT-CL-CURRENT:

TYPE IPC DATE

· CIPS CO7 K 14/28 20060101

CIPN <u>A61 K 38/00</u> 20060101

CIPN A61 K 39/00 20060101

CIPS CO7 K 14/245 20060101

CIPS C07 K 14/195 20060101

US-CL-ISSUED: 424/236.1; 424/184.1, 424/234.1, 424/240.1, 424/241.1, 424/257.1,

424/261.1, 435/69.3, 435/172.3

US-CL-CURRENT: <u>424/236.1</u>; <u>424/184.1</u>, <u>424/234.1</u>, <u>424/240.1</u>, <u>424/241.1</u>, <u>424/257.1</u>, 424/261.1, 435/69.3

FIELD-OF-CLASSIFICATION-SEARCH: 424/240.1, 424/241.1, 424/257.1, 424/261.1, 424/184.1, 424/234.1, 424/236.1, 435/69.3, 435/172.3 See application file for complete search history.

PRIOR-ART-DISCLOSED:

U.S. PATENT DOCUMENTS

Search Selected Search ALL Glear

	PAT-NO	ISSUE-DATE	PATENTEE-NAME	US-CL
Γ	4666837	May 1987	Harford et al.	435/68
Γ-	4935364	June 1990	Kaper et al.	435/172.3

FOREIGN PATENT DOCUMENTS

FOREIGN-PAT-NO	PUBN-DATE	COUNTRY	CLASS
WO 92/19265	November 1992	WO	
9219265	November 1992	WO	

OTHER PUBLICATIONS

Oseashon R. "Cholera", In Plotkin SA, Mortimer EA eds. Vaccines. Philadelphia, WB Saunders Co. 1988.

Pizza et al. Molecular Microbiology 14(1):51-60, 1994.

Lobet et al. Injection and Immunity 59(9):2870-2879, 1991.

Kaslow et al, Vaccine Research 1(1):47-54, 1992.

Burnette, W.N. et al., "Site-Specific Mutagenesis of the Catalytic Subunit of Cholera Toxin: Substituting Lysine for Arginine 7 Causes Loss of Activity", Inf. & Immun., 1991, 59, 4266-4270.

Dallas, W.S. et al., "Cistrons Encoding Escherichia coli Heat-Labile Toxin", J. Bacteriol., 1979, 139, 850-858.

Grant, C.C.R. et al., "Effect of Single Amino Acid Changes on the ADP-

Ribosyltransferase Activity of Esherichia coli Heat-Labile Toxin Subunit A", 92nd Gen. Meet. Am. Soc. Microbiol., 1992, Abstract B289, 74.

Harford, S. et al., "Inactivation of the Escherichia coli heat-labile enterotoxin by in vitro mutagenesis of the A-subunit gene", Eur. J. Biochem., 1989, 183, 311-316.

Holmgren, J. et al., "Oral immunization against cholera", Curr. Top. Microbiol. Immunol., 1988, 146, 197-204.

Kaslow, H.R. et al., "Effects of Site-Directed Mutagenesis on Cholera Toxin Al Subunit ADP-ribosytransferase Activity", 92nd Gen. Meet. Am. Soc. Mictrobiol., 1992, Abstract B291, 74.

Lai, C.Y. et al., "Location and Amino Acid Sequence Around the ADP-Ribosylation Site in the Cholera Toxin Active Subunit A.sub.1 ", Biochem. Biophys. Res. Comm., 1983, 116, 341-348.

Lebacq-Verheyden, A.M. et al., "Posttranslation Processing of Endogenous and of Baculovirus-Expressed Human Gastrin-Relaesing Peptide Precursor", Mol. Cell. Biol.,

1988, 8, 3129-3135.

Lobet, Y. et al., "Effect of Site-Directed Mutagenic Alterations on ADP-Ribosyltransferase Activity of the A Subunit of Escherichia coli Heat-Labile Enterotoxin", Inf. & Immun., 1991, 59, 2870-2879.

Lycke, N. et al., "The adjuvant effect of Vibrio cholerae and Escherichia coli heat-labile enterotoxins is linked t their ADP-ribosyltransferase activity", Eur. J. Immunol., 1992, 22, 2277-2281.

Mekalanos, J.J. et al., "Cholera toxin genes" nucleotide sequence, deletion analysis and vaccine development, Nature, 1983, 306, 551-557.

Pearson, G.D.N. et al., "Molecular cloning of Vibrio cholerae enterotoxin genes in Escherichia coli K-12", Proc. Natl. Acad. Sci. USA, 1982, 79, 2976-2980.

Pickett, C.L. et al., "Genetics of Type Iia Heat-Labile Enterotoxin of Escherichia coli: Operon Fusions, Nucleotide Sequence, and Hybridization Studies", J. Bacteriol., 1987, 169, 5180-5187.

Sixma, T.K. et al., "Crystal structure of a cholera toxin-related heat-labile enterotoxin from E. coli", Nature, 1991, 351, 371-377.

Spicer, E.K. et al., "Escherichia coli Heat-Labile Enterotoxin", Biol. Chem., 1982, 257, 5716-5721.

Tsuji, T. et al., "A Single Amino Acid Substitution in the A Subunit of Escherichia coli Enterotoxin Results in a Loss of Its Toxic Activity", J. Biol. Chem., 1990, 265, 22520-22525.

Yamamoto, T. et al., "Primary Structure of Heat-labile Enterotoxin Produced by Escherichia coli Pathogenic for Humans", J. Biol. Chem., 1984, 259, 5037-5044.

ART-UNIT: 161

PRIMARY-EXAMINER: Housel; James C.

ASSISTANT-EXAMINER: Portner; Virginia

ATTY-AGENT-FIRM: Trujillo; Doreen Y. Harbin; Alisa A. Blackburn; Robert P.

ABSTRACT:

An immunogenic detoxified protein comprising the amino acid sequence of subunit A of cholera toxin (CT-A) or subunit A of an Escherichia coli heat labile toxin (LT-A) or a fragment thereof wherein one or more amino acids at, or in positions corresponding to Val-53, Ser-63, Val-97, Tyr-104 or Pro-106 are replaced with another amino acid or deleted. Examples of specific replacements include Val-53-Asp, Val-53-Glu, Val-53-Tyr, Ser-63-Lys, Val-97-Lys, Val-97-Tyr, Tyr-104-Lys, Tyr-104-Asp, Tyr-104-Ser, Pro-106-Ser. The immunogenic detoxified protein is useful as vaccine for Vibrio cholerae or an enterotoxigenic strain of Escherichia coli and is produced by recombinant DNA means by site-directed mutagenesis.

9 Claims, 4 Drawing figures

Previous Doc Next Doc Go to Doc#